



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

## MORTALITY—Continued.

Weekly mortality table, foreign and insular cities—Continued.

Cities.	Week ended—	Estimated population.	Total deaths from all causes.	Deaths from—									
				Tuberculosis.	Plague.	Cholera.	Yellow fever.	Smallpox.	Typhus fever.	Typhoid fever.	Scarlet fever.	Diphtheria.	Measles.
Mannheim.....	Mar. 4	194,000	52	8									3
Do.....	Mar. 11		42	8									2
Do.....	Mar. 18		50	9									1
Mexico.....	Mar. 4	500,000	402	24				8	31		1	1	1
Monterey.....	Apr. 2	100,000	60	3						3			1
Montreal.....	Apr. 1	450,000	138	13					3	3	2	1	1
Moscow.....	Feb. 25	1,500,000	334	95				2	49	3	28	29	8
Do.....	Mar. 4		768	98					21	1	25	24	17
Do.....	Mar. 11		750	86				3	21		29	20	11
Nagoyo.....	Feb. 26	402,101	157									4	
Naples.....	Mar. 19	593,729		5				4				2	
Newcastle-on-Tyne.....	Mar. 18	290,360	91	17								1	4
Nottingham.....	Mar. 11	260,000	64							2	1	1	
Do.....	Mar. 18		74									1	
Palermo.....	do.....	340,000	154	10				2			2		
Para.....	do.....	185,000	86	6									
Paris.....	do.....	2,776,394	937	226						5		7	19
Plymouth.....	Mar. 25	124,180	46	5						1			4
Port Said.....	Mar. 4	52,811	23	2									1
Prague.....	do.....	235,556	84	13							1	2	
Do.....	Mar. 11		101	15							2	1	3
Do.....	Mar. 18		99	22							2	2	
Saigon.....	Feb. 26	1,206,000						9					
St. John's, N. F.....	Mar. 25	31,000							1			1	
St. Petersburg.....	Mar. 4	1,907,708	737	129				11	1	6	18	12	8
Do.....	Mar. 11		720	119				5		4	16	4	9
San Luis Potosi.....	do.....	82,964	110	7				7	4				12
Santa Cruz de Tenerife.....	Mar. 18	46,000	13	2					1				
Santiago.....	Mar. 25	53,614	15	2									1
Shanghai.....	Feb. 26	492,000	129	11				7			1	3	
Do.....	Mar. 5		134	14				8			2		
Do.....	Mar. 12		143	20				9				1	
Singapore.....	Feb. 18	271,060	138	20				2		3			
Southampton.....	Mar. 25	129,667	35	2								1	
South Shields.....	Mar. 18	121,866	91	17								1	4
Stettin.....	Mar. 11	234,033	76	11								1	1
Do.....	Mar. 18		67	8								1	1
Talcahuana.....	Mar. 4	28,000	5	2									1
Tampico.....	Mar. 20	24,453	35					1					
Trieste.....	Mar. 11	226,423	133									1	4
Do.....	Mar. 18		126							1			3
Turin.....	Mar. 4	401,555	154	13									
Do.....	Mar. 11		161	15							1		
Valencia.....	Mar. 18	240,000	111	11				1					
Vienna.....	Mar. 4	2,030,834	673	109							2	10	6
Do.....	Mar. 11		666	127						1	5	4	7
West Hartlepool.....	Mar. 18	66,750	18									1	
Yarmouth.....	Apr. 1	6,700										1	
Yokohama.....	Mar. 13	419,630										1	

<sup>1</sup> Including Cholon and Pompenah.MORTALITY—FOREIGN AND INSULAR—COUNTRIES AND CITIES  
(untabulated).

AUSTRALIA—*Sydney*.—Month of January, 1911. Population, 631,600. Total number of deaths from all causes 626, including diphtheria 3, measles 1, scarlet fever 1, tuberculosis 44, typhoid fever 5.

AZORES—*St. Michaels*.—Month of January, 1911. Population, 131,183. Total number of deaths from all causes 175, including tuberculosis 6, typhoid fever 1.

CANADA—*Dawson*.—Month of February, 1911. Population, 5,000. Total number of deaths from all causes 10, including tuberculosis 1, typhoid fever 1.

DOMINICAN REPUBLIC—*Santo Domingo*.—Period from February 21 to March 24, 1911. Population, 18,326. Total number of deaths from all causes 41, including tuberculosis 7.

FRANCE—*St. Etienne*.—Two weeks ended March 15, 1911. Population, 150,000. Total number of deaths from all causes, 129, including diphtheria 1, tuberculosis 19, typhoid fever 1.

GREAT BRITAIN.—Week ended March 18, 1911.

*England and Wales*.—The deaths registered in 77 great towns correspond to an annual rate of 15.4 per 1,000 of the population, which is estimated at 17,160,256.

*Ireland*.—The deaths registered in 21 principal towns district correspond to an annual rate of 17.4 per 1,000 of the population, which is estimated at 1,163,596. The lowest rate was recorded at Clonmel, viz, 5.1 and the highest at Newry, viz, 33.6 per 1,000.

*Scotland*.—The deaths registered in 8 principal towns correspond to an annual rate of 16.8 per 1,000 of the population, which is estimated at 1,917,875. The lowest rate was recorded at Leith, viz, 14.3 and the highest at Paisley, viz, 20.8 per 1,000. The total number of deaths reported from all causes was 617, including diphtheria 9, measles 4, scarlet fever 5, typhoid fever 1.

GREECE—*Patras*.—Two weeks ended March 15, 1911. Population, 41,000. Total number of deaths from all causes 41, including diphtheria 1, tuberculosis 6.

ITALY—*Genoa*.—Two weeks ended March 15, 1911. Population, 279,163. Total number of deaths from all causes 251, including diphtheria 15, measles 10, tuberculosis 40.

MAURITIUS.—Month of December, 1911. Population, 373,071. Total number of deaths from all causes 1,039, including plague 128, tuberculosis 75, typhoid fever 2.

SPAIN—*Cadiz*.—Month of February, 1911. Population, 69,382. Total number of deaths from all causes 174, including diphtheria 1, tuberculosis 18, typhoid fever 1.

TAHITI.—Four weeks ended March 17, 1911. Population, 4,000. Total number of deaths from all causes 3. No contagious diseases.

TURKEY—*Saloniki*.—Month ended March 13, 1911. Population, 200,000. Total number of deaths from all causes 163, including diphtheria 2, tuberculosis 26, typhoid fever 3.

By authority of the Secretary of the Treasury:

WALTER WYMAN,

Surgeon General,

United States Public Health and Marine-Hospital Service.